





1. Tunnel quick freezer pictures









2. Tunnel Quick-Freezer diagram



3. Tunnel quick freezer list

Model	Picture (for reference)	Parameters	NOTE
SW150		Throughput: 150kg/h Refrigeration Capacity: 23kW/h Freezer Room Size: L*W*H(M) 6.8*2.8*1.2 Exterior Size: L*W*H(M) 8*1.8*2.2 Power:2.95kw In Feed Temperature(°C): +15 Out Feed Temperature(°C): -18 Inner Circulation Temperature(°C):-36 Frozen Time(min): 10-50 Refrigerant: R717/R404A	Tunnel freezing machine: it is suitable for meat, prepared food, aquatic products, seafood, ice cream and so on. It is a basic type of quick freezing machine. Its output is 150kg/h - 1500kg/h Can be customized according to customer requirements
SW500		Throughput: 500kg/h Refrigeration Capacity: 85kW/h Freezer Room Size: L*W*H(M) 12.1*3*2.5 Exterior Size: L*W*H(M) 13.5*3*2.5 Power:10.3kw In Feed Temperature(°C): +15 Out Feed Temperature(°C): -18 Inner Circulation Temperature(°C):-36 Frozen Time(min): 10-50 Refrigerant: R717/R404A	
SW1000		Throughput: 1000kg/h Refrigeration Capacity: 150kW/h Freezer Room Size: L*W*H(M) 17.1*3*2.5 Exterior Size: L*W*H(M) 18.5*3*2.5 Power:19.8kw In Feed Temperature(°C): +15 Out Feed Temperature(°C): -18 Inner Circulation Temperature(°C):-36 Frozen Time(min): 10-50 Refrigerant: R717/R404A	

<p>SW1500</p>		<p>Throughput: 1500kg/h Refrigeration Capacity: 220kW/h Freezer Room Size: L*W*H(M) 24.1*3*2.5 Exterior Size: L*W*H(M) 22.8*3*2.5 Power:28.4kw In Feed Temperature(°C): +15 Out Feed Temperature(°C): -18 Inner Circulation Temperature(°C):-36 Frozen Time(min): 10-50 Refrigerant: R717/R404A</p>	
---------------	---	---	--

4. Products service commitment

The company has 20 years of experience in the production of frozen equipment design experience. The company to **Quality first. Customer first. Service first** service to serve customers, customer satisfaction as the goal of special service commitment

A. The Sales prior to service commitment

- 1.Free of charge to provide customers with technical advice and product information
- 2.According to customer needs to provide a reasonable price.
- 3.According to the customer needs we can non-standardized to design and production
- 4.We provide a study of the reception, at any time to receive your inspection, and try to provide a variety of convenient conditions for your inspection.

B. The sales service commitment

- 1.Consciously abide by the provisions of the contract law, to ensure the smooth performance of the contract and technical agreement.
- 2.By the amount of time to provide you with quality products, and the optimal mode of transport, to ensure that you receive the goods flawless and perfect.
- 3.Actively communicate with the use of personnel, respect for customers, to provide customers with thoughtful technical support.
- 4.According to the provisions of the contract to provide you with guidance and installation, commissioning and training services

C. The Service commitment after sales

- 1 . We randomly provide equipment for wearing parts.
- 2 .We will provide the technical training and technical data of the relevant personnel in accordance with the requirements of the customer.
- 3 . Products have quality problems, a year of free mailing equipment accessories, life-long technical support and maintenance, there is a contractual agreement in accordance with the contract.

We are free to carry out technical guidance, from your own to rule out the simple failure of the equipment